


ELECTRA V3

Adaptive Shape-Based Autorouter



ELECTRA is a new generation of Shape-Based Autorouting software for PC boards.

By contrast with traditional gridded maze autorouters, a shape-based approach allows for more efficient use of routing area and is more suited to handle complex design rules requirements of high density SMD or through holes boards and achieve the highest route completion rates.

ELECTRA uses an effective multi-pass cost-based conflict reduction algorithm to find a routing solution adapting to the natural flow of the nets. Adaptive routing algorithm is the only proven approach to reach high completion rate on today's complex PCBs. ELECTRA provides immediate feedback on the routing progress and conflict reduction rate.

ELECTRA supports industry standard format by reading design file (Specctra DSN). Routing results are saved into standard route file format (RTE) or session file (SES). ELECTRA is designed to plug into an existing PCB CAD system environment that is supporting DSN file format such as

- Altium,
- Pulsonix,
- CADInt,
- TargetPCB
- SeeTrax,
- DipTrace,
- DEX,
- CadSoft Eagle and other popular PCB CAD systems.

Powered by a multi-pass cost-based conflict reduction algorithm to find an optimal routing solution adapting to the natural flow of the nets while following advanced DFM and timing constraints

- Handles complex PCB designs with timing conditions such as min/max length, match length and differential pair constraints
- CAD plug-in using SPECCTRA DSN format
- Reasonable cost of ownership
- Shape based autorouting with adaptive multi-pass conflict reduction technology
- Handles complex PCB designs with timing conditions such as min/max length, match length and differential pair constraints
- Active flow with controlled autorouting of preselected interconnects
- Real-time Verification
- Reasonable Cost of ownership
- PCB CAD plug-in, Specctra® DSN format support

Neu in ELECTRA V3

- Automatic Differential pairs routing
- Automatic Lengthening to reach minimum length
- Automatic Matching to target length
- Color coded Timing report
- Constraint Editing with Ease
- Net Class and Groups editing
- Extending Wiring and Clearance rule by layer, groups, net classes and inter-classes
- Added Constraints by Group and Group_set
- Active flow with controlled autorouting of preselected interconnects
- AutoRouting by polygonal fence
- Interactive Area and Keep-in Fence editing
- GUI to customize cost factors
- Anti-aliased rendering
- Fade view on selection
- DRC Violation browser
- Modern GUI, mouse wheel to zoom and dockable Panels
- Preview DO file
- TCL Scriptable routing strategy (DO file)